



TECHNICAL DATA

C1 5W-30 JLR LS

Fully synthetic low SAPS engine oil

Product code: OLFJ

Product Description:

C1 5W-30 JLR LS is a new generation fully synthetic multigrade engine oil formulated using the latest developments in synthetic technology. C1 5W-30 JLR LS has been developed to enable outstanding performance to be provided along with effective emission control and full compatibility with emission control after treatment systems. Low SAPS (sulphated ash, phosphorus and sulphur) additive technology ensure optimum performance of emission control equipment including particulate filters, at the same time providing long term emission system protection, ensuring a high level of continuous pollution control thereby minimising environmental damage.

Benefits:

- Exceptional anti-wear and oxidation stability
- Excellent high and low temperature performance
- Effective fuel efficiency
- Exceptional long-term additive response

Applications:

C1 5W-30 JLR LS contains the lowest levels of sulphated ash, phosphorus and sulphur and is designed to greatly enhance the life of after treatment systems such as diesel particulate filters. It is suitable for use in both turbocharged and normally aspirated diesel and petrol engines designed for use with fuel economy engine oils.

Product Specification:

ACEA	C1
Ford	WSS-M2C934-B
Jaguar / Land Rover	STJLR.03.5005

Typical Test Data

Kinematic Viscosity @ 100°C (cSt)	9.84
Kinematic Viscosity @ 40°C (cSt)	53.4
Viscosity Index	173
Pour Point (°C)	-39



TECHNICAL DATA

Sulphated Ash (% wt)	0.5
Flash Point COC (°C)	234
TBN (mg KOH / g)	5.9

Health & Safety:

Please refer to the safety data sheet, a copy of which is freely available to all of our customers.